


ELECTRICAL DIAGRAM



PART #	VOLTAGE (VAC)	CURRENT (A)	INDUCTANCE (mH)	FREQUENCY (Hz)	WEIGHT LBS (Kg)	HEAT LOSS (W)
URX000451	264	15	2.45	50/60	13.9 (8.2)	80

FOR ADDITIONAL DETAILS AND SPECIFICATIONS, CONSULT MANUAL

TOLERANCES / REFERENCES:		<p><b>YASKAWA</b></p> <p>THIS DOCUMENT AND INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF YASKAWA AMERICA, INC.</p>	DRAWN: <b>J. MATTAS</b>	DATE: <b>8-6-14</b>	TITLE: <b>D1000 INPUT AC REACTOR          DIMENSION DRAWING          URX000451</b>	
			CHECKED: <b>J. PIOTROWSKI</b>	DATE: <b>9-15-14</b>		
			TECH: <b>J. BORJA</b>	DATE: <b>9-17-14</b>		
			APPROVED: <b>J. CAIRO</b>	DATE: <b>9-22-14</b>		
UNITS: <b>IN [mm]</b>	SCALE: <b>1:3</b>	ORIGINAL DESIGN: -	DATE: -	SIZE: <b>A</b>	REVISION: <b>R00</b>	PAGE: <b>1 of 1</b>
				DRAWING #: <b>DD.URX000451</b>		